

LUWFER - EUROPE

Typical Markings for a Liquefied Gas Cylinder According to TPED



1. **25E** = Thread Specification - Important to ensure the correct valve is used with your cylinder.
2. **GB** = Country of Manufacture
3. **LUXFER** = Cylinder Manufacturer
4. **L2816Z / 1234A** = Cylinder Type Number and Serial Number - This number is recorded by Luxfer which means, if ever necessary, the entire manufacturing history of your cylinder can be traced.
5. **AA6061 T6** = Alloy of Construction
6. **11,5MM** = Design Minimum Wall Thickness.
7. **14,8KG** = Empty Weight of Cylinder Only (kg)
8. **13,4L** = Minimum Water Capacity (litres)
9. **PH 250 BAR** = (Test Pressure) - Shows the pressure that the cylinder should be tested to - this must not be exceeded.
10. **TARE 16,1 KG** = Weight of cylinder plus valve plus any accessories fitted at time of filling such as collar and cage.
11. **10 KG CO2** = Charge Weight.
12. **p 0038** = The mark of Conformity and Notified Body reference number to the Transportable Pressure Equipment Directive 1999/36/EC.
13. **e2UK902 GB** = Pattern Approval number according to Directive 84/526. Replaced by EN1975 when this specification is design basis.
14. **[STAMP]** = Stamp of Notified Body.
15. **2002/09** = Year and Month of initial test.