


Cylinder Valve Replacement Parts


Type "A" Replacement Parts

Sherwood Yoke-Style Valves

Note: To reference older model valves which also use Type "A", please refer to your Sherwood Cylinder Valves Assembly and Maintenance Guide.




Item	Part Number	Description
1	1-3506-8	Stem nut
2	3506-11A	Spring
3	1389-2D	Handwheel (short, round style)
4	4000-2	Handwheel (long, raised ribs)
5	1413	Washer
6	6521S	Handwheel (wing nut style)
7	3056-14	Bonnet nut
8	3506-10	Copper gasket
9	3506-7	Thick Teflon ring (new style seal)
10	3506-18	Thin Teflon ring (new style seal)
11	9-3506-12	Stem
12	3506-9	Plug assembly
13	G014L	O-ring (outlet)
14	—	Safety (see Valve Burst Disc Assembly section)
15	—	Safety (see Valve Burst Disc Assembly section)
16	G214A	O-ring (tank)
17	25-6530	Dip tube
—	3506-20	Overhaul kit for valve stem/plug assembly - contains enough material for 10 valves



Valves and Connectors

K-Valve 0542-00
DIN Valve 0542-30




Key # Part # Description

0542-00	K-Valve - 3,000 psi
0542-30	DIN Valve, 240 BAR
1	Nut, Handwheel Retaining
2	Spring, Handwheel
3	Handwheel
4	Washer
5	Bonnet
6	Packing
7	O-ring, Stem
8	Stem
9	Seat Assembly
10	Gasket, Bonnet
11a	Body, K-Valve
11b	Body, DIN Valve
12	O-ring, Outlet
13	Dip Tube
14	O-ring, K-Valve
14b	O-ring, DIN Valve
15	Safety Plug Kit, 3,000 psi (Aluminum)
	Safety Plug Kit, 3,500 psi (HP Steel)
	Safety Plug Kit, 2,400 psi (LP Steel)
	Safety Plug Kit, 2,250 psi (LP Steel)
n/s	Dust Cap, K-Valve

Part numbers in **BOLD ITALICS** indicate standard overhaul replacement part.

Valves and Connectors

J-Valve 0545-00
K-Valve 0540-00



Key # Part # Description

0545-00	J-Valve (3000 psi)
0540-00	K-Valve (3000 psi)
1	Nut, Handle Retaining (2 req. on J-Valve)
2	Spring (2 req. on J-Valve)
3	Handwheel
4	Washer (2 req. on J-Valve)
5	Bonnet, Left Handed Thread
6	Bonnet, Right Handed Thread
7	O-ring
8	Back-up ring
9	Thrust Washer
10	Stem, K-Valve
11	Seat, J-Valve
12	Seat, K-Valve
13	Dip Tube
14	O-ring (2 required)
15	Reserve Assembly, Red (SEE NOTE)
15	Reserve Assembly, Red (SEE NOTE)


Part numbers in **BOLD ITALICS** indicate standard overhaul replacement part.

Key # Part # Description

16	Washer
17	Stem, J-Valve
18	Gasket
19	O-ring
20	Back-up Ring
21	Bonnet
22	Handwheel, Reserve
23	Safety Disc Assembly, 3000 psi
n/s	Reserve Pull Rod, J-Valve

NOTE: Reserve Assembly (PN 0525-48) is to be used on valves which have "Japan" stamped on the base of the valve body. If replacement of the reserve assembly is required, do not use the 0525-08 reserve assembly in valves stamped with "Japan". The 0525-48 reserve assembly is dyed red to differentiate between the reserve assemblies.

Part numbers in **BOLD ITALICS** indicate standard overhaul replacement part.




COUPLE DE SERRAGE / TORQUE		
ref.	P/N	valeur / value
213086		0.2 à 0.3M.Kg
213080		2M.Kg

REV.	Date	REV.	Date
1	213086	Ecrou	Locknut
	213090	Volant VZ	Handwheel
	213421	Rondelle	Washer
4	213713	Bague	O-ring
5	213080	Palier	Bonnet
6	H20015	Bague	O-ring
7	213092	Rondelle	Washer
8	213082	Tige tourn.	Stem
9	213084	Vis clapet	Seat assembly
10	213060	Corps Z	Z Body
11	213715	Bague	O-ring
12	213088	Tube Plongeur	Tube
	214117	Bague	O ring
14	213710	intermédiaire	adaptator

Désignation	REV.	Date	REV.	Date
ROBINET Z Z VALVE Din		16/12/97	D	
	A		E	
	B		F	
	C		G	


AQUALUNG
020006 REV. *



COUPLE DE SERRAGE / TORQUE	
ref. P/N	valeur / value
213086	0.2 à 0.3M.Kg
213080	2M.Kg
213645	1M.Kg

ref.	P/N	description	description				
1	213086	Ecrou	Locknut				
	213090	Volant	Handwheel				
	213421	Rondelle	Washer				
4	213713	Bague	O-ring				
5	213080	Palier	Bonnet				
6	H20015	Bague	O-ring				
7	213092	Rondelle	Washer				
8	213082	Tige tourn.	Stem				
9	213084	Vis clapet	Seat assembly				
10	213065	Corps Z	Z Body				
11	214119	Bague	O-ring				*
12	213088	Tube Plongeur	Tube				
13	213645	Vis de securité 5000R	Safety Plug 5000R				
14	213644	Capsule calibre	Safety Disk				
15	214124	Rondelle	Washer				
16	214117	Bague 2-112	O-ring 2-112				

Désignation	REV	Date	REV	Date	AQUALUNG 020004
			16/12/97	D	
ROBINET Z Z VALVE	A		E		REV. *
	B		F		
	C		G		



COUPLE DE SÉPAGE / TORQUE		
ref.	P/N	valeur / value
213086		0.2 à 0.3M.Kg
213080		2M.Kg

1	213086	Ecrou	Locknut				
2	213090	Volant VZ	Handwheel				
3	213421	Rondelle	Washer				
4	213713	Bague	O-ring				
5	213080	Palier	Bonnet				
6	H20015	Bague	O-ring				
7	213092	Rondelle	Washer				
8	213082	Tige tourn.	Stem				
9	213084	Vis clapet	Seat assembly				
10	213060	Corps Z	Z Body				
11	213715	Bague	O-ring				
12	213088	Tube Plongeur	Tube				
13	214117	Bague	O ring				
14	213710	intermédiaire	adaptator				

Désignation		REV	Date	REV	Date
ROBINET Z Z VALVE DIN			4/10/97	D	
		A		E	
		B		F	
		C		G	

AQUALUNG
020006 REV *